

RADIODETECTION®

NiMH Rechargeable Battery Charger Kit



NiMH battery charger

- LCD display screen indicates the charging progress D (HR20) NiMH batteries status: charging, discharging, full or empty. Batteries stop charging when fully charged
- One button discharge. Press the blue discharge button to start discharge mode, then the charger will automatically switch to charging mode after batteries are fully discharged
- Overheat Protection and Auto Switch Off Function. Constant current charging mode protects the battery against current fluctuation and remains safe during operation
- Microcomputer controlled IC, automatically recognizes a defective battery, short circuited battery, or non-chargeable battery. If batteries are faulty, the charger won't operate
- Supplied with Mains Power lead



Electrical Connections

Input AC 100-240V AC 50/60Hz,10W
 Output D: 1.4V DC @4x 1000mA

Weight and dimensions

Dimensions 19.5 x 5.7 x 10cm
 Weight 440 Grams

Maximum Operating Conditions

Operating Environment Temperature 0 to 40°C; Humidity: ≤85%
 Storage Environment Temperature -10 to 40°C; Humidity: ≤60%

Operating Conditions Temperature:

Surface temperature of charger ≤60°C
 Surface temperature of battery ≤45°C

Radiodetection NiMH rechargeable battery

HR20 D-cell 10000mAh NiMH rechargeable battery
 Weight 168g
 Service life >500 cycles
 Charge time (using Radiodetection Recharger) 3-6 hours
 Output 1.2V nominal
 Operating Temperature -10 to 50°C
 Power output 10000mAh
 Power output independent of the battery state of charge



Visit: www.radiodetection.com Follow us on:    

Copyright © 2026 Radiodetection Ltd. All rights reserved. Radiodetection is a subsidiary of SPX Technologies, Inc. Radiodetection is either a trademark or registered trademark of Radiodetection in the United States and/or other countries. Due to a policy of continued development, we reserve the right to alter or amend any published specification without notice. This document may not be copied, reproduced, transmitted, modified or used, in whole or in part, without the prior written consent of Radiodetection Ltd.

90/NIMH-CHARGER-TS-ENG/02