

> Radiodetection[®]

8300 Series Flow Transducer Pipe Panels



The Radiodetection 8300 Series Flow Transducer Pipe Panels allow the air flow to the pipe system to be monitored both visually and electronically. Using the 800 Series Flow Transducers, available in 0 - 50 SCFH and 0 - 100 SCFH flow ranges, the Radiodetection 8300 Series Pipe Panels provide the highest degree of protection available for individual cables in dual feed systems. Small changes in air flow are visually displayed on each transducer and simultaneously available to remote monitoring systems using the industry standard electrical resistance scale.

8300 Series panels are available in dual and triple panel configurations and can be ordered with factory installed pressure transducers. For applications that require a single pipe panel an 8320 Dual Pipe Panel can be used with a single 800 Series Flow Transducer.

8300 Series

Flow Transducer Pipe Panels

Highlights

- All panels are manufactured using .125 steel for maximum durability
- Durable mylar overlay resists scratching and can be easily cleaned
- Easy-to-read with white lettering on a black background
- Panels are designed for mounting on a standard 23" equipment rack or with optional wall mounting brackets

Features

- Available in Dual or Triple Configurations
- Uses Industry-Standard Resistance Scale
- Non-Powered Flow Transducers
- Continuous Resistance Output
- Visually Readable Flow Transducers
- Multiple Flow Ranges Available
- Quick-Connect Flow Transducers
- Interchangeable with Traditional Pipe Panels

Applications


Air Pipes in Central Office Pressurization Systems

Warranty

Radiodetection warrants that this product shall be free from defects in workmanship and materials for one year. For details please see our warranty statement.

Ordering Information

Model	Description
8320	Dual Pipe Panel (No 800 Series Included)
8320-P	Dual Pipe Panel (No 800 Series Included)
	with Pressure Transducers
8320-03	Dual Pipe Panel w/ 803 Flow Transducers
8320-P-03	Dual Pipe Panel w/ 803 Flow Transducers and
	Pressure Transducers
8320-05	Dual Pipe Panel w/ 805 Flow Transducers
8320-P-05	Dual Pipe Panel w/ 805 Flow Transducers and
	Pressure Transducers
8333	Triple Pipe Panel (No 800 Series Included)
8333-P	Triple Pipe Panel w/ Pressure Transducers
8333-03	Triple Pipe Panel w/ 803 Flow Transducers
8333-P-03	Triple Pipe Panel w/ 803 Flow Transducers and
	Pressure Transducers
8333-05	Triple Pipe Panel w/ 805 Flow Transducers
8333-P-05	Triple Pipe Panel w/ 805 Flow Transducers
	and Pressure Transducers





Global locations

USA

SPX Global Headquarters

13515 Ballantyne Corporate Place Charlotte, NC 28277, USA Tel: +1 704 752 4400 www.spx.com

Radiodetection

28 Tower Road, Raymond, Maine 04071, USA
Tel: +1 (207) 655 8525
Toll Free: +1 (877) 247 3797
Fax: +1 (207) 655 8535
rd.sales.us@spx.com
www.radiodetection.com

Pearpoint

Palm Desert, CA 92211, USA Tel: +1 800 688 8094 Tel: +1 760 343 7350 Fax: +1 760 343 7351 pearpoint.sales.us@spx.com www.radiodetection.com

39-740 Garand Lane, Unit B

Radiodetection (Canada)

344 Edgeley Boulevard, Unit 34 Concord, Ontario L4K 4B7, Canada Tel: +1 (905) 660 9995 Toll Free: +1 (800) 665 7953 Fax: +1 (905) 660 9579 rd.sales.ca@spx.com www.radiodetection.com

EUROPE

Radiodetection Ltd. (UK)

Western Drive, Bristol BS14 0AF, UK Tel: +44 (0) 117 976 7776 Fax: +44 (0) 117 976 7775 rd.sales.uk@spx.com www.radiodetection.com

Radiodetection (France)

13 Grande Rue, 76220, Neuf Marché, France Tel: +33 (0) 2 32 89 93 60 Fax: +33 (0) 2 35 90 95 58 rd.sales.fr@spx.com http://fr.radiodetection.com

Radiodetection (Benelux)

Industriestraat 11
7041 GD 's-Heerenberg, Netherlands
Tel: +31 (0) 314 66 47 00
Fax: +31 (0) 314 66 41 30
rd.sales.nl@spx.com
http://nl.radiodetection.com

Radiodetection (Germany)

Groendahlscher Weg 118
46446 Emmerich am Rhein, Germany
Tel: +49 (0) 28 51 92 37 20
Fax: +49 (0) 28 51 92 37 520
rd.sales.de@spx.com
http://de.radiodetection.com

ASIA-PACIFIC

Radiodetection (Asia-Pacific)

Room 708, CC Wu Building 302-308 Hennessy Road, Wan Chai Hong Kong SAR, China Tel: +852 2110 8160 Fax: +852 2110 9681

rd.sales.cn@spx.com www.radiodetection.com

Radiodetection (China) Hongfu Mansion, Room 61622

Zheng Ge Zhuang, Bei Qi Jia Town Chang Ping District Beijing 102209, China Tel: +86 (0) 10 8178 5652 Fax: +86 (0) 10 8178 5662 rd.service.cn@spx.com http://cn.radiodetection.com

Radiodetection (Australia)

Unit H1, 101 Rookwood Road, Yagoona NSW 2199, Australia Tel: +61 (0) 2 9707 3222 Fax: +61 (0) 2 9707 3788 rd.sales.au@spx.com www.radiodetection.com

Radiodetection is a leading global developer and supplier of test equipment used by utility companies to help install, protect and maintain their infrastructure networks. Radiodetection is a unit of SPX (NYSE: SPW), a global Fortune 500 multi-industry manufacturing company. With headquarters in Charlotte, N.C., SPX has 18,000 employees in more than 35 countries worldwide. Visit www.spx.com.

Copyright 2013 Radiodetection Ltd - SPX Corporation. All rights reserved. Radiodetection is a subsidiary of SPX Corporation. SPX, the green ">" and "X" are trademarks of SPX Corporation, Inc. Radiodetection, Dielectric, SmartTech, DRY-PAK are trademarks of Radiodetection Ltd. and SPX Corporation. Due to a policy of continued development, we reserve the right to alter or amend any published specification without notice. This document may not be copied, reproduced, transmitted, modified or used, in whole or in part, without the prior written consent of Radiodetection Ltd.