






SmartTech™ Series

Air Dryer Systems



FEATURES:

-  SmartTech features an easy-to-read four line digital display and is backlit for low light installation. In addition, a full featured “HELP” menu is available to assist with the diagnosis of alarm conditions.
-  The SmartTech includes a built-in interface for ATS-300/300 Plus systems and requires simple cable connection to get started. A truly “Plug and Play” system.
-  Includes a water sealed compressor designed for enhanced performance and higher output.
-  The ST series uses solid state components including a single chip humidity sensor with calibrated output which makes SmartTech air dryers easy and economical to service and maintain.
-  Updated Cabinet to include a durable enamel finish, digital display and new ergonomic design features for easy access to all components.

Featured above is the SmartTech 16500ST Dryer with the rack mounted ATS-300 Plus and Air Flow Panels.

Models Available

5500ST	-	5,500 SCFD
11000ST	-	11,000 SCFD
16500ST	-	16,500 SCFD
22000ST	-	22,000 SCFD
33000ST	-	33,000 SCFD



SPECIFICATIONS

CHARACTERISTIC	MODEL 5500ST	MODEL 11000ST	MODEL 16500ST	MODEL 22000ST	MODEL 33000ST
Maximum Capacity	5500 SCFD	11000 SCFD	16500ST	22000 SCFD	33000 SCFD
Weight	245 lbs.	250 lbs.	260 lbs.	450 lbs.	470 lbs.
Compressor	DC6ST	DC12ST	DC20ST	2-DC12ST	2-DC20ST
Electrical Options	208-240 Vac. 60Hz 1 Phase	208-240 Vac. 60Hz 1 Phase	208-240 Vac. 60Hz 3 Phase	208-240 Vac. 60Hz 1 Phase	208-240 Vac. 60Hz 3 Phase
Operating Current	8.1-7.0 Amps	13.1-11.3 Amps	11.5-10.5 Amps	26.3-22.9 Amps	23.9-21.9 Amps
Compressor Circuit Protection	10 Amp 2 Pole	20 Amp 2 Pole	20 Amps 3 Pole	2-20 Amps 2 Pole	2-20 Amps 3 Pole
Control Circuit Protection	2-1 Amp 2-3 Amp Re-settable	2-1 Amp 2-3 Amp Re-settable	2-1 Amp 3-3 Amp Re-settable	2-1 Amp 2-3 Amp Re-settable	2-1 Amp 3-3 Amp RE-settable

Specialists In Cable Pressurization



Global locations

USA

SPX Global Headquarters

13515 Ballantyne Corporate Place
Charlotte, NC 28277, USA
Tel: +1 704 752 4400
www.spx.com

Radiodetection

28 Tower Road, Raymond, Maine 04071, USA
Tel: +1 (207) 655 8525
Toll Free: +1 (877) 247 3797
Fax: +1 (207) 655 8535
rd.sales.us@spx.com
www.radiodetection.com

Pearpoint

39-740 Garand Lane, Unit B
Palm Desert, CA 92211, USA
Tel: +1 800 688 8094
Tel: +1 760 343 7350
Fax: +1 760 343 7351
pearpoint.sales.us@spx.com
www.radiodetection.com

Radiodetection (Canada)

344 Edgeley Boulevard, Unit 34
Concord, Ontario L4K 4B7, Canada
Tel: +1 (905) 660 9995
Toll Free: +1 (800) 665 7953
Fax: +1 (905) 660 9579
rd.sales.ca@spx.com
www.radiodetection.com

EUROPE

Radiodetection Ltd. (UK)

Western Drive, Bristol BS14 0AF, UK
Tel: +44 (0) 117 976 7776
Fax: +44 (0) 117 976 7775
rd.sales.uk@spx.com
www.radiodetection.com

Radiodetection (France)

13 Grande Rue, 76220, Neuf Marché, France
Tel: +33 (0) 2 32 89 93 60
Fax: +33 (0) 2 35 90 95 58
rd.sales.fr@spx.com
<http://fr.radiodetection.com>

Radiodetection (Benelux)

Industriestraat 11
7041 GD 's-Heerenberg, Netherlands
Tel: +31 (0) 314 66 47 00
Fax: +31 (0) 314 66 41 30
rd.sales.nl@spx.com
<http://nl.radiodetection.com>

Radiodetection (Germany)

Groendahlscher Weg 118
46446 Emmerich am Rhein, Germany
Tel: +49 (0) 28 51 92 37 20
Fax: +49 (0) 28 51 92 37 520
rd.sales.de@spx.com
<http://de.radiodetection.com>

ASIA-PACIFIC

Radiodetection (Asia-Pacific)

Room 708, CC Wu Building
302-308 Hennessy Road, Wan Chai
Hong Kong SAR, China
Tel: +852 2110 8160
Fax: +852 2110 9681
rd.sales.cn@spx.com
www.radiodetection.com

Radiodetection (China)

Hongfu Mansion, Room 61622
Zheng Ge Zhuang, Bei Qi Jia Town
Chang Ping District
Beijing 102209, China
Tel: +86 (0) 10 8178 5652
Fax: +86 (0) 10 8178 5662
rd.service.cn@spx.com
<http://cn.radiodetection.com>

Radiodetection (Australia)

Unit H1, 101 Rookwood Road,
Yagoona NSW 2199, Australia
Tel: +61 (0) 2 9707 3222
Fax: +61 (0) 2 9707 3788
rd.sales.au@spx.com
www.radiodetection.com

Radiodetection is a leading global developer and supplier of test equipment used by utility companies to help install, protect and maintain their infrastructure networks. Radiodetection is a unit of SPX (NYSE: SPW), a global Fortune 500 multi-industry manufacturing company. With headquarters in Charlotte, N.C., SPX has 18,000 employees in more than 35 countries worldwide. Visit www.spx.com.

Copyright 2013 Radiodetection Ltd - SPX Corporation. All rights reserved. Radiodetection is a subsidiary of SPX Corporation. SPX, the green ">" and "X" are trademarks of SPX Corporation, Inc. Radiodetection, Dielectric, SmartTech, DRY-PAK are trademarks of Radiodetection Ltd. and SPX Corporation. Due to a policy of continued development, we reserve the right to alter or amend any published specification without notice. This document may not be copied, reproduced, transmitted, modified or used, in whole or in part, without the prior written consent of Radiodetection Ltd.