

Where Ideas Meet Industry



Model 300TLS

Air Dryer



115V Model - P/N 66788 230V Model - P/N 66789

The 300TLS heatless compressor dehydrator is specifically designed as an economical pressurization system for coaxial transmission line and waveguide systems. Using a heatless self-regenerating drying system, the 300TLS automatically regenerates the drying media and provides years of trouble free service. The unit is equipped with a visual humidity indicator and a low pressure alarm.

The 300TLS provides up to 300 SCFD of air at a -40° dew point with a selectable output pressure range of 2-15 PSIG and a 4.5 PSIG differential. The tankless design utilizes the volume of the coax or waveguide as the storage vessel and can be equipped with panel mounting brackets or a .4 cubic foot storage tank (optional).

The reliable 1/8 HP oilless compressor is available for application in 115V/50-60Hz as well as 230V/50-60Hz environments. This compressor requires minimal maintenance that can be performed on-site and will provide years of service.

SPECIFICATIONS

CHARACTERISTICS	Model 300TLS
Normal Capacity	200 SCFD (160 SCFD @ 50Hz)
Maximum Capacity	300 SCFD (240 SCFD @ 50Hz)
Dew Point	-40°F (-40°C)
Operating Voltage	115V/60-50Hz, 230V/60-50Hz
Operating Amps	1.0 Amps (230V), 2.0 Amps (115V)
Circuit Protection (manual	1.25 Amp (230V), 5 Amp (115V)
reset) Compressor	1/8 H.P.
Width	17.0 Inches
Height	12.0 Inches
Depth	8.0 Inches
Weight	34 lbs.
Air Outlet	1/4" NPT Fitting





Radiodetection is a proud member of the SPX group of companies, which provide technical products and service solutions worldwide.

Radiodetection and its associated companies specialize in the design and manufacture of products for the location and maintenance of underground pipes and cables. Our aim is to be viewed as the supplier of choice of 'high performance' quality equipment using advanced product technologies. We are also committed to both design innovation and customer support.



Radiodetection equipment users have easy access to technical support. A call to your regional representative, or the Radiodetection head office, will put you in contact with our team of field-experienced technical experts.



Radiodetection has a team of factory-trained service technicians and dedicated service facilities. Turnaround is fast, and costs are very competitive.



Product training for your operators and training personnel is available on your site, or at Radiodetection's headquarters. Training is with qualified instructors and each trainee receives a certificate to confirm they have received the training.

America

Radiodetection

154 Portland Road Bridgton, ME 04009, USA Tel: +1 (207) 647 9495 Toll Free: +1 (877) 247 3797 Fax: +1 (207) 647 9496 Email: rd.sales.us@spx.com Web: www.radiodetection.com

Pearpoint

72055 Corporate Way Thousand Palms CA 92276, USA

Tel: +1 800 688 8094 Tel: +1 760 343 7350 Fax: +1 760 343 7351

Email: pearpoint.sales.us@spx.com Web: www.radiodetection.com

Radiodetection (Canada)

344 Edgeley Boulevard, Unit 34 Concord, Ontario L4K 4B7, Canada Tel: +1 (905) 660 9995

Toll Free: +1 (800) 665 7953 Fax: +1 (905) 660 9579 Email: rd.sales.ca@spx.com Web: www.radiodetection.com

Europe

Radiodetection Ltd (UK)

Western Drive Bristol BS14 0AF, UK Tel: +44 (0) 117 976 7776 Fax: +44 (0) 117 976 7775 Email: rd.sales.uk@spx.com Web: www.radiodetection.com

Radiodetection (France)

13 Grande Rue, 76220 Neuf Marché, France Tel: +33 (0) 232 8993 60 Fax: +33 (0) 235 9095 58 Email: rd.sales.fr@spx.com Web: http://fr.radiodetection.com

Radiodetection (Benelux)

Industriestraat 11 7041 GD 's-Heerenberg, Netherlands

Tel: +31 (0) 314 66 47 00 Fax: +31 (0) 314 66 41 30 Email: rd.sales.nl@spx.com Web: http://nl.radiodetection.com

Radiodetection (Germany)

Groendahlscher Weg 118 46446 Emmerich am Rhein, Germany

Tel: +49 (0) 28 51 92 37 20 Fax: +49 (0) 28 51 92 37 520 Email: rd.sales.de@spx.com Web: http://de.radiodetection.com

Asia-Pacific

Radiodetection (Asia-Pacific)

Room 708, CC Wu Building 302-308 Hennessy Road, Wan Chai Hong Kong SAR, China

Tel: +852 2110 8160
Fax: +852 2110 9681
Email: rd.sales.cn@spx.com
Web: www.radiodetection.com

Radiodetection (China)

Hongfu Mansion, Room 61622 Zheng Ge Zhuang, Bei Qi Jia Town Chang Ping District Beijing 102209, China

Tel: +86 (0) 10 8975 5540

Fax: +86 (0) 10 8975 5640

Email: rd.service.cn@spx.com

Web: http://cn.radiodetection.com

Radiodetection (Australia)

Unit 14, 5-7 Prosperity Parade Warriewood NSW 2102, Australia Tel: +61 (0) 2 9979 8555 Fax: +61 (0) 2 9979 7733

Fax: +61 (0) 2 9979 7733 Email: rd.sales.au@spx.com Web: www.radiodetection.com

To see the full range of products and services provided by Radiodetection visit:

www.radiodetection.com





Global Headquarters 13515 Ballantyne Corporate Place Charlotte, North Carolina 28277 United States **Where Ideas Meet Industry**

Where Ideas Meet Industry

www.spx.com