SENSORS & SOFTWARE®

LMX100

Utility locating with GPR made simple

LMX100

Trying to avoid dangerous and costly hits to critical utilities?

Want to find more utilities at your job site? Non-metallic utilities without tracer wires giving you trouble?

If so, then LMX100[™] is the right GPR for you.

LMX100[™] overview 5315

The simple, efficient way to **Locate & Mark**[™] utilities in the field

LMX[®] Ground Penetrating Radar (GPR) systems are designed & optimized for utility locating, making the LMX a natural addition to your locating workflow.

LMX GPR systems complement traditional pipe and cable locators and allow you to Locate & Mark:

- Metal utilities, including pipes and cables
- Non-metallic pipes, including PVC and asbestos cement
- Concrete storm and sewer systems
- Utilities where installed tracer wiring has failed
- Underground storage tanks and drainage tiles
- Septic system components
- Non-utility structures such as vaults, foundation walls and concrete pads









LMX100 features


Rapidly locate **metallic** and **non-metallic utilities**

Enhance your productivity


No complex settings – Just press Start and push the cart



Pinpoint Depth & Location



Easy Depth Calibration



Use hyperbola-fitting to ensure accurate depth measurements and backup over the target to display its location and depth.


Dynamic Stacking (DynaQ[®])

Better data quality with DynaQ. The LMX automatically adjusts stacking (averaging) based on your survey speed.


- White = No data (too fast!)
- Yellow = Moderate quality
- □ Light blue = Better quality
- Dark blue = Highest quality


Increase your target confidence in the field with image optimization

Preset Filters





Adjustable Gain







Dynamic Target Enhancement (DynaT^{*})









Optimize visibility of your targets with preset filters & gain.






Enhance small, medium & large targets.

Get faster deliverables



In-field Screenshot Gallery & Wi-Fi mini-reports Manage & review your screenshots and email them in a

Manage & review your screenshots and email them in a Wi-Fi mini-report from the field to share key collection information and images.



Geo-tagged information for reports & archiving All screenshots are geo-tagged and exported in a KMZ file that is easily displayed in Google Earth.[™]



- DynaT for Dynamic Target enhancement
- Offers perfect balance of depth penetration (up to 8 m/26 ft) & high resolution

Weight & Dimensions

Size: 100 x 70 x 115 cm (39.4 x 27.6 x 45.3 in)

Weight: 22 kg (48 lbs)		
Display Unit size: 21 cm (8 in) diagonal		
Power		
12 volt sealed lead acid gel cell		
Battery Capacity: 9.0 Ah	Battery Weight: 3.6 kg (7.9 lbs)	
Battery Life: 4-6 hours	Charger: 110-240V	

Environmental & Temperatures	
Ruggeo	dized, environmentally sealed unit and connections
IP65	Operating temperature range:

-40°C to +50°C (-104°F to 122°F)

Regulatory Specifications

Meets FCC 15.509, IC RSS-220 and ETSI EN-302066

Data Storage	Depth
10,000+ screenshots	Up to 8 meters (25 feet)

equal intervals

Useful resources to make the most of your LMX:

- LMX100 training videos
- · Utility Locating with GPR (Nulca-accredited) interactive and online course (SensoftU.com)
- Webinars and free online resources
- Learn more about our training offerings

SENSORS & SOFTWARE®

Our Mission

Provide best in class equipment and solutions, to prevent damage to critical infrastructure, manage assets and protect lives.

Our Vision

To be the world's leader in the management of critical infrastructure and utilities.

Our Locations



USA Raymond, ME Kearneysville, WV

Canada

Vaughan, ON Mississauga, ON Europe United Kingdom HQ France Germany The Netherlands



Asia Pacific India China Hong Kong Indonesia Australia

Visit: www.sensoft.ca Follow us on: 📑 in 💟 🖸



Copyright © 2022 Radiodetection Ltd. All Rights Reserved. Sensors & Software is a registered trademark of Radiodetection in the United States and/ or other countries. Trademarks and Notices. The following are trademarks of Radiodetection: LMX, LMX100, DynaQ, DynaT and Locate & Mark. Due to a policy of continued development, we reserve the right to alter or amend any published specification without notice. This document may not be copied, reproduced, transmitted, modified or used, in whole or in part, without the prior written consent of Radiodetection Ltd.